


The Mortes and Bellefontaine Lakes



Lacs et montagnes du Haut Doubs - Chapelle-Des-Bois



Lacs des mortes et de bellefontaine (PNRHJ) / Gilles Prost

From the viewpoints on Roche Champion and Roche Bernard, the striking Nordic nature of the High Jura's lakes, peat bogs and mountain forests grabs hikers' attention.

"20,000 years ago, the glacier would crash against the Roche Champion cliff, before giving way to a lake. Later, climate change would foster an abundant amount of aquatic vegetation, the slow decay of which filled the depressions of the black peat."

Marc Forestier, (Dakota Edition, *Que faire dans le Parc naturel régional du Haut-Jura - What to do in the natural regional park of the High-Jura*)

Useful information

Practice : Hiking

Duration : 5 h

Length : 16.3 km

Trek ascent : 434 m

Difficulty : Severe





Type : Circular

Themes : History & heritage, Lakes, rivers and waterfalls, Landscapes

Trek

Departure : Church parking lot, Chapelle-des-Bois

Arrival : Church parking lot, Chapelle-des-Bois

Markings :  GR® (Long distance)  GRP® (Long distance through a local area)  GTJ
GTJ Pédestre (Jura cross-country hiking route)  PR® (Walking & hiking trail)

From the village's small central square, at the hike's starting point, the trail follows the D 46 towards the town hall (*white and red waymarking*). At "**chemin des Sources**", a road to the left crosses the combe, borders a peat bog and ascends to **La Madone**.

The path skews off to the left crossing a wooded meadow. At the **Reservoir**, the trail ascends to the right through a pasture and leads to **LA ROCHE CHAMPION**. Occasionally rocky, this path continues between the rocky barrier and the swiss border, heads past the **Git de l'Echelle** and on a wider path, leads to **Sur-le-Risoux-des-Lacs**, and, turning right, to **the Rocky Crossroads**.

The unmissable belvedere of Roche Bernard can be accessed to the left within 5 mins.

From the Rocky Crossroads, a stony forest road, "heads down the hill" (*yellow and red waymarking*) before leading to **the Customs Barrack**.

Follow the road to the left (*white and red waymarking*). Head past the **ON THE LAKES** viewpoint and continue on a white path that overlooks the peat bogs through **La Feuillat** until you reach **les Grands Pins**.

The trail then follows the D 18 to the right (*yellow waymarking*) and at the first crossing (**the Chalet of Mandrillons**) takes a left turn onto the road towards Chaux Mourant before reaching **les Assignats**.

To the right a forest path interspersed with clearings leads to the Chez Bourgeois and Chez Jean Bouveret hamlets. Continuing in the same direction, the trail which is mostly a forest path opens onto the D18 at **LES MORTES**. Follow the road to the left and take the little road to the les Mortes hamlet (*yellow and blue waymarking*) to reach **Les Mortes Little Woods Crossroads** to the left via the D46.


The trail takes the D 46 E to the left and leads a crossroads with "**chemin des Bornes**". A path heads uphill to the right, enters the forest and descends to **La Toumire** and later **La Chaumeau**.

The path the heads back uphill to the right along the edge of the **la Chaumeau pasture**, branches off to the left along a trail through the meadows towards to the road to **les Chaumelles**.

Cross the road and, on the other side, a combe and a wooded meadow that lead to **les Champs Nouveaux**.

Take the road to **LES LANDRY** to your right (*white and red waymarking*), and then a road west of the village to return to **CHAPELLE-DES-BOIS**.

On your path...



- Saint-Jean-Baptiste Church (A)
- First appearance of the landscape (B)
- Places full of history (C)
- Appearance of the peat bog landscape (D)
- Streams snaking through the peat bog (E)
- The plague cemetery (F)
- Formation of the peat bog (G)
- Peat bogs: history books (H)
- Viewpoint from Roche Champion (I)
- Empires and landmarks (J)
- The Gît de l'échelle and its viewpoint (K)
- Viewpoint from Roche Bernard (L)
- The round-leaved sundew (M)
- The bog bilberry and the moorland clouded yellow (N)
- The disappearance of the lake (O)
- La Chaumeau or Chaumeau, a farm with a "tué" (P)
- A dispersed-habitat landscape (Q)
- A thousand colours in natural prairies (R)
- Architecture of the High-Doubs (S)
- Farming activities that leave their mark on the landscape (T)

All useful information

Advices

Be careful on the steep slopes and cliff edges between Roche Champion and Git de l'Echelle.

This trail passes through pastures with livestock and forest paths. To respect the owners and farmers granting you passage, and for the security of livestock and wild fauna, we ask that you remain on the waymarked paths.

Use the adapted passageways to get across fencing and be sure to close gateways behind you. Please keep your dog on a lead if you have one.

Wild flowers are beautiful, they may be rare and protected and often wilt quickly. Do not pick them! They will delight the next hikers.

In case of forest works (felling, skidding, etc.), for your safety, know when to stop and turn around.

Environmental sensitive areas

Au cours de votre itinéraire, vous allez traverser des zones sensibles en rapport avec la présence d'une espèce ou d'un environnement spécifique. Dans ces zones, un comportement approprié permet de contribuer à leurs préservations. Pour plus d'information, des fiches sont disponibles pour chaque zone.

Western capercaillie

Sensitivity period: January, February, March, April, May, June, Decembre

Contact: Parc naturel régional du Haut-Jura

29 Le Village

39310 Lajoux

03 84 34 12 30

www.parc-haut-jura.fr

Le Grand Tétras est une espèce emblématique des forêts de montagnes françaises. Son apparence et son comportement font de lui un oiseau très atypique. Pouvoir l'observer relève d'un vrai défi, tant cet oiseau est discret, mais s'avère être un souvenir mémorable.

En hiver, son activité est réduite au minimum. Il passe la quasi-totalité de la journée perché dans un arbre et consomme uniquement des aiguilles de sapin. Une nourriture très peu énergétique. Cette période est critique pour sa survie. Un oiseau subissant un dérangement régulier va puiser dans ses maigres réserves et finir par en subir les conséquences. Sa sensibilité à la prédation aura augmenté, ou bien il dépérira simplement à cause du manque d'énergie. Une autre période critique prend place du printemps au début de l'été avec la couvaison. Si la poule est surprise plusieurs fois,

elle va abandonner le nid et laisser ses poussins seuls, sans protection. La survie des jeunes étant déjà très faible naturellement, ce phénomène accentue, d'autant plus, ce risque de mortalité chez les jeunes oiseaux.

Les pratiques qui peuvent avoir une interaction avec le Grand tétard en période de nidification sont principalement les pratiques sportives terrestres comme la randonnée, le ski, le VTT.


Site RAMSAR Tourbières et lacs de la Montagne jurassienne

Sensitivity period: January, February, March, April, May, June, July, August, September, October, November, Decembre

Contact: Parc naturel régional du Haut-Jura
29 Le Village
39310 Lajoux
03 84 34 12 30
www.parc-haut-jura.fr/

Le site s'étend entre les villes de Pontarlier et Saint-Claude, dans le massif du Jura. Dénommé « Bassin du Dugeon » lorsqu'il fut inscrit en 2003, le site a été agrandi en 2021 pour passer de moins de 6000 hectares à plus de 12 000 ha. Il comprend maintenant de vastes tourbières emblématiques telles que celles du bassin du Dugeon, les vallées du haut Doubs et de l'Orbe et la vallée de Chapelle-des-Bois et Bellefontaine. Ses 18 lacs et 2000 ha de tourbières représentent environ 40 % de toute la zone tourbeuse du massif du Jura. Le substrat calcaire favorise la juxtaposition de tourbières alcalines et acides, ce qui, dans ces dimensions, est unique en France. Le site offre de nombreux habitats importants pour une diversité d'espèces protégées au niveau national ou international, des plantes et champignons aux libellules, papillons, poissons, oiseaux, amphibiens et reptiles. Les deux tiers de la population nationale de bécassines des marais (*Gallinago gallinago*) y nichent et le site est aussi une frayère importante pour le grand brochet (*Esox lucius*), le lavaret (*Coregonus lavaretus*), la truite lacustre (*Salmo trutta*) et l'écrevisse à pattes blanches (*Austropotamobius pallipes*). Les habitats tourbeux ont été, autrefois, profondément modifiés par l'exploitation de la tourbe, le développement forestier et les activités agricoles mais des mesures de restauration des tourbières ont été appliquées avec succès. Cependant, le site est encore très sensible aux sécheresses et à la pollution provenant des terres agricoles environnantes.

Altimetric profile



Min elevation 1065 m
Max elevation 1345 m

Transports

To visit and get about in the High-Jura, visit www.reshaut-jura.fr, the eco-mobility portal listing all means of transport within the Park.

Advised parking

in front of the church, start map

Information desks

Tourist information centre - Val de
Mouthe
3 bis rue de la Varée, 25240 Mouthe
Tel : +33 (0)3 81 69 22 78
<https://www.destination-haut-doubs.com/>

Access

16 km south of Mouthe via the D 437 followed by the D 46, and 15 km from Morez via the N 5, followed by the D 18 through Bellefontaine and lastly the D 46.



On your path...



Saint-Jean-Baptiste Church (A)

Works to build the church started in 1634. The massive appearance of this structure is amplified by the narrowness of its openings. It is covered with a metal shingle on its most-exposed outer walls. The church has been registered on the complementary inventory of Historical Monuments since 2 March 1981.

Attribution : Véronique K. Simon architecte



First appearance of the landscape (B)

100 to 200 million years ago, we would have travelled here by boat, on a tropical sea. Then limestone particles and shells slowly started to gather on the waterbed, gradually forming limestone layers.

During the Tertiary Period, these layers started to lift, fold and soon gave birth to the Jura Massif, with its relief comprised of folds and plateaux.

Attribution : PNRHJ / Nina Verjus



Places full of history (C)

Opposite you, the Roche Champion cliff marks the edge of the Risoux massif and separates Switzerland from France.

Before the 16th century, neither of these two countries wanted to claim the Jura, which was covered in forest. However, as the area was progressively cleared for agricultural purposes, competition for this land stepped up a notch. The Reform later exacerbated this rivalry, creating a political and religious rift between Switzerland and Protestants on one side and Franche-Comté and Catholics on the other. The Catholic cross that can be seen atop Roche Champion asserts this religious belonging.

Attribution : PNRHJ / Nina Verjus



Appearance of the peat bog landscape (D)

At the end of the Quaternary Period, the Jura was covered by a huge glacier. Reindeer and mammoths were abundant. This mass of ice changed the relief and broke and moved rocks. When it melted, the ice left glacier moraines in the watertight rocky holes left behind.

At the bottom of the depression, a lake later took shape, fed by the water from the melting glacier, from rainfall and from streams. Before long, the climate started to warm up. Aquatic plants quickly developed and organic matter accumulated. The lake filled and turned into a marsh.

Attribution : PNRHJ / Nina Verjus



Streams snaking through the peat bog (E)

The stream you have crossed comes from the Cives combe. It is joined by another stream from the Risoux slopes (the mountain looming over you). After travelling underground, the stream surfaces near Morez, around ten kilometres from here. From there to here, it passes through the peat bog, with the latter acting like a sponge during rainy weather and when snow starts to melt. By doing so, the peat bog limits flooding, and then gradually returns the water during dry periods. Its last function is to purify the water running through it by acting as a filter.

Attribution : PNRHJ / Nina Verjus



The plague cemetery (F)

In 1639, the plague wreaked havoc in the region. In Chapelle-des-Bois, it killed roughly fifteen of the 150 village inhabitants. Fearing that they might catch the illness, survivors did not want to bury the dead in the cemetery. Their decision to bury the plague-ridden corpses in the peat bog is no accident. Considered worthless land, and rarely used for agricultural purposes, the peat bog seemed the ideal place to bury victims of the plague without contaminating the land.

Attribution : PNRHJ / Laurent Hilairet



Formation of the peat bog (G)

Sedges (or carex) grow and help stabilise the soil. Later, sphagnum peat moss takes over and forms a dense carpet. These are species of moss that grow continuously and that provide an accumulation of organic matter on which sphagnum peat moss is able to grow. The vegetation becomes compact and creates the black and fibrous bogs resembling garden compost. However, this phenomenon is painfully slow and it takes thousands of years for a peat bog to reach a height of just a few metres.

Attribution : PNRHJ / Nina Verjus



Peat bogs: history books (H)

Peat bogs are valuable history books for pollen specialists or palynologists. In fact, pollen is well-preserved in peat bogs, and some pollen found there can even be thousands of years old!

From the oldest layers deeper down to the surface area, palynologists are able to retrace the history of plants in the peat bog and its surroundings all the way back to prehistoric times. Which trees used to grow in the forest? Which plants did man grow for food or for clothes? By analysing pollen, we can learn all of these things.

Attribution : PNRHJ / Nina Verjus



Viewpoint from Roche Champion (I)

From the top of the rocky bar overlooking the Chapelle-des-Bois valley and its village, your eyes will view a wide landscape, from the combe of Cives to the north, to the two almost twin lakes that are the Lac des Mortes and the Lac de Bellefontaine to the north. The hydraulic regime of both lakes is quite particular: during high waters, the Lac de Bellefontaine's waters overflow into the Lac des Mortes; however, during low waters, the water in the Lac des Mortes feeds the Lac de Bellefontaine.

Attribution : Jack Carrot



Empires and landmarks (J)

The tracing of the borders, following the Paris Treaty of 1815 was symbolised by landmarks linked together with a low dry wall. However, the border has not always been watertight, and it symbolises what has come to be a lifestyle. More than a border, the Franco-Swiss frontier, which runs along the Risoux ridge line, is a place of passage and of exchanges, both lawful and unlawful, over time.

Attribution : PNRHJ / Gilles Prost



The Gît de l'échelle and its viewpoint (K)

“Gîts”, steep trails where the wood exploited on the Risoux used to be discarded, also served as a passageway to Switzerland. These Gîts were given a name, and some have an entire history; the Gît de l’Echelle, the Gît d’Entre-Deux-Roches... During the 19th century, smuggling activities enabled some to live entirely off the unlawful trading of consumer goods that could be found at a lesser cost on one side or the other of the border.

The Gît de l’Echelle, despite its steepness, served in particular as a passage for resistance fighters and intelligence officers and saved Jewish families during the Second World War thanks to the temerity and bravery of local smugglers, both French and Swiss.

Attribution : Jack Carrot



Viewpoint from Roche Bernard (L)

Like other Jura peat bogs, those of the Les Mortes and Bellefontaine lakes are a testament to the glacier that covered the Jura twenty thousand years ago and that left in its wake impervious moraines. These impervious depressions filled with stagnant water and were populated by plants. On the soft soil of the peat bogs grow some plants that are particularly suited to this environment (Cranberry, bog-rosemary, cotton grass, Drosera, etc.).

Attribution : Jack Carrot



The round-leaved sundew (M)

This small carnivorous plant has hairs covered with a type of glue. When an insect comes into contact with the plant, it finds itself stuck and cannot escape. The leaf trap then slowly closes in on its prey, and secretes digestive juices that digest the insect. This adaptation allows the plant to acquire supplementary intake in this environment in which roots struggle to find enough food. It is also called common sundew, due to its appearance.

Attribution : PNRHJ / Léo Poudré



The bog bilberry and the moorland clouded yellow (N)

From the blueberry family, it grows in “raised” peat bogs and is slightly acidic. Its berries are not as sweet as blueberries. It is the plant that is host to the moorland clouded yellow, a beautiful yellow butterfly which, when in caterpillar form feeds on the bog bilberry.

Attribution : PNRHJ / Léo Poudré



The disappearance of the lake (O)

The waters of the Les Mortes lake form a short stream barely one kilometre-long before disappearing into (or dying in) a crevice at the heart of the “Les Mortes” hamlet. These waters are drawn just under ten kilometres downstream from the Arce source in Morez and serve to provide part of this High-Jura town’s population with drinkable water.

Attribution : PNRHJ / Gilles Prost



La Chaumeau or Chaumeau, a farm with a “tué” (P)

This house’s roof is pierced through the top by a “Tué”, a wooden pyramid-shaped chimney measuring at its base about 3 metres wide and at its summit around 1 metre wide. The Tué, which is positioned near the centre of the house, is a room caught in a draught, where all of the smoke gathers, and serves as a pantry, ensuring that sliced meat in particular is well preserved.

To learn more: The Michaud farm ecomuseum in the Combe des Cives (Chapelle-des-Bois) <http://ecomusee-jura.fr/>
Attribution : PNRHJ / Véronique K. Simon



A dispersed-habitat landscape (Q)

You have now exited the wooded meadow and have come across vast stretches of wild land. Wild? Well, not really. If you look closely, Man has left his mark on this landscape.

Farms are scattered here and there and tell the story of how the High Doubs was “colonised”. In this area, where winters are long, home-based craftsmanship, wood carving or clock-making developed to keep the peasants busy when the cold season forced them to stay inside.

Attribution : PNRHJ / Nina Verjus



A thousand colours in natural prairies (R)

The vast landscapes you are in are natural prairies, in which biodiversity is particularly abundant and contributes towards the production of PDO (Protected Designation of Origin) cheeses. Farmers in Chapelle-des-Bois and the surroundings are particularly aware of this and ensure that the unicity of these landscapes is preserved by using suitable practices.

Attribution : PNRHJ / Nina Verjus



Architecture of the High-Doubs (S)

In the hamlet of “les Landry”, you will pass in front of a house that tells of some of the architectural history and construction techniques used in the High-Doubs. Years of “playing around” with wood, stone and metal.

Attribution : PNRHJ / Nina Verjus



Farming activities that leave their mark on the landscape (T)

Agricultural buildings are scattered throughout this landscape: old farms are found alongside much larger modern agricultural buildings that house Montbeliarde cows. These cows produce the milk that is used to produce local cheeses.

Attribution : PNRHJ / Nina Verjus